

---

Headquarters  
Ascent Technology, Inc.  
101 Federal Street, 19th Floor  
Boston, MA 02110 USA

Mailing address  
Ascent Technology, Inc.  
PO Box 51435  
Boston, MA 02205-1435 USA

Telephone: +1.617.395.4800  
email: sales@ascent.com  
www.ascent.com

---

## ARIS/AR<sup>®</sup> aircraft-routing system



### Plan lines of flight and assign aircraft to routes

The ARIS/AR aircraft-routing system contains the ARIS/AR Turn Generator™ product, which enables you to plan lines of flight for seasonal schedules, and the ARIS/AR Display Board™ product, which enables you to assign aircraft to routes and tracks aircraft in real time.

### Plan lines of flight for seasonal schedules

The ARIS/AR Turn Generator product builds turns that link scheduled flight legs together. For any flight assigned to a real aircraft or to an aircraft from a virtual line of flight, the ARIS/AR Turn Generator product identifies all subsequent flights that can be assigned to the aircraft for the current schedule and for future schedules under analysis. The product enables you to identify each planned ground stay and station for the aircraft, so you can schedule maintenance checks.

With the ARIS/AR Turn Generator product, you can:

- Forecast spare aircraft use
- Measure aircraft and maintenance-facility utilization
- Publish schedules with turn information that can be used to plan ground operations
- Assign aircraft to lines of flight to avoid cyclical use patterns leading to uneven wear
- Optimize lines of flight for aircraft-routing systems

The ARIS/AR Turn Generator product balances aircraft utilization and positions aircraft in maintenance stations at regular intervals. The ARIS/AR Display Board product automatically loads track information generated by the ARIS/AR Turn Generator product.

## Representative features


**Automatic schedule loading and turn generation.** The ARIS/AR Turn Generator product loads a new unlinked schedule and generates turns automatically, using advanced optimization and search techniques to balance planning requirements. It is aware of the minimum turn time for each aircraft type in each station. The ARIS/AR Turn Generator product improves planner productivity by eliminating manual turn generation.

**Manual editing of track information.** You can move flights to specific tracks, swap tracks, exchange flights, and de-allocate flights manually. The ARIS/AR Turn Generator product automatically identifies valid swaps, and you can override automatic allocations.

**Automatic general alert mechanism.** The ARIS/AR Turn Generator product contains a generalized alert mechanism that recognizes difficult problems, such as negative turns, and soft problems, such as insufficient turn times. A graphical alert appears as soon as the condition is introduced and prevents you from introducing illegal conditions. The product identifies errors in the schedule when it cannot remove problem conditions.

**Automatic utilization balancing.** The ARIS/AR Turn Generator product automatically balances utilization by minimizing differences in cycles, mileage, and flight time among lines of flight throughout the schedule. The system displays total number of cycles, amount of mileage, and amount of flight time for each track. When you edit the track manually, you immediately see how changes affect fleet balance. When aircraft utilization is balanced, the fleet wears out evenly, aircraft are maintained at more regular intervals, and fleet replacement is simplified.

**Automatic global alert indicator.** Because alerts can have major effects on airline operations, a global alert indicator appears when an error is detected in any track. The indicator pinpoints the source of the problem and automatically scrolls the chart to the problem so you can see it.



---

## Who we are

Since our founding more than 35 years ago by members of the Massachusetts Institute of Technology Artificial Intelligence Laboratory, Ascent Technology has helped organizations deploy costly resources as efficiently, effectively, and economically as possible. Our highly trained and capable team of technologists, problem solvers, and solution designers has broad domain expertise and substantial experience in artificial intelligence, computer science and engineering, system design, mathematical optimization, operations research, and resource optimization, planning, scheduling, and management.

---

**Automatic identification of flights that cannot be operated.** It may be impossible for the fleet to operate all flight legs in a schedule. The ARIS/AR Turn Generator product automatically detects the condition and highlights flights that cannot be operated, ensuring the fleet meets the demands of the schedule.

**Automatic identification of spares.** In cases where the entire fleet is not required to operate a schedule, the ARIS/AR Turn Generator product automatically identifies the number of spares available. You can reduce the load on the fleet or position spare aircraft in various stations. Identification and proper handling of spares reduce the risk of delays due to irregular operations.

**Introduction of swaps to minimize uneven aircraft use.** The ARIS/AR Turn Generator product recognizes repeating cycles in lines of flight and introduces swaps to break the cycles, randomizing the line of flight, to even out wear on the fleet and to rotate aircraft through maintenance stations.

**Station maintenance capability tracking.** The ARIS/AR Turn Generator uses information stored in the ARIS/SmartBase® database to determine where each aircraft type can be maintained. Facilities are described in terms of the aircraft types they can handle, operating hours, and maintenance activities supported. It identifies stations where it is impossible to perform any type of maintenance. The database also contains the times required to perform each check for each aircraft type. The product identifies where and when maintenance can be performed, ensuring that an aircraft is never more than a given number of flight hours away from a maintenance station.

**User-settable turns.** You specify turn rules to force the ARIS/AR Turn Generator product to lock in specific turns. Rules can be applied to a particular pair of flights on a particular day in a particular city. Special handling can be applied to international flights that must be cleared through customs. You can specify a turn sequence to meet specific station requirements.

## Assign aircraft to routes and track the status of your aircraft in real time

The ARIS/AR Display Board product enables you to track the progress of your flights and to assign aircraft to flight legs during regular and irregular operations automatically in real time. With the ARIS/AR Display Board product, you can:

- Increase the use of your aircraft and, in turn, increase the return on your investment in your fleet
- Reduce the number of expensive ferry flights
- Reduce the need for spare aircraft
- Anticipate maintenance needs so as to avoid costly schedule disruptions
- Reduce the time needed to recover from irregular operations

The ARIS/AR Display Board product monitors all aircraft, flights, and maintenance activities. All information processed by the ARIS/AR Display Board product is stored in the ARIS/SmartBase database, where it is readily accessible to other ARIS products and to external systems. The ARIS/AR Display Board product automatically loads optimized track information created by the ARIS/AR Turn Generator product, and it can load linked schedules prepared by other products.

## Representative features

**Flight status available is at a glance.** The primary display of the ARIS/AR Display Board product consists of a bar chart, which enables you to visualize current flight status, such as flight times and events, as well as future assignments, which may be loaded as many as seven days in advance.

**Rapid information display increases user productivity.** When you position the pointer over a flight, ground-stay, maintenance, or aircraft-utilization item, a small window at the top of the bar chart displays detailed information about the item and the actions you can perform.

**Visual alerts warn about status changes and problems.** The ARIS/AR Display Board product detects many kinds of alert conditions automatically and brings them to your attention. By checking every piece of information available, the product relieves you from the tedious, error-prone task of sifting through information to detect problems. You can define time windows for each alert condition. The product provides two severity levels for each alert condition—alert and warning.

**What-if scenario support.** The ARIS/AR Display Board product enables you to explore the effects of various routing solutions before you commit changes to the database. For example, when an aircraft swap is initiated, the product displays possible new assignments but does not send them to the ARIS/SmartBase database. The product calculates the alerts for the hypothetical situation, and the display reflects the changes. You can explore the ramifications of a series of swaps, filter out aircraft not involved in the swap, and consider alternative solutions without affecting other users. When the solution is satisfactory, you commit the changes to the database.

**Collaborative decision-making.** The ARIS/AR Display Board product supports team decision-making, ensuring all users share a consistent current view of operations. You can discuss possible solutions with other users before you commit to changes.

**External application launch support.** The ARIS/AR Display Board product contains a configurable mechanism for launching external applications. For example, you can select a command on a particular flight leg to launch a weight-and-balance program.

**Station maintenance-capability tracking.** The ARIS/AR Display Board product maintains detailed information about the maintenance capabilities of each station and identifies the best location to perform maintenance.

**Information filters.** Because large fleets may fill multiple screens, the ARIS/AR Display Board product provides filters to reduce the amount of information displayed. Filters enable you to focus on the set of flights for which you are responsible.



**Maintenance tracking.** To determine when aircraft should be brought in for maintenance, the ARIS/AR Display Board product automatically tracks aircraft progress and uses flight assignments stored in the ARIS/SmartBase database to compute and display the number of miles, flight hours, and cycles to be completed by each aircraft prior to maintenance. The product ensures that aircraft are maintained at the most cost effective times, avoiding unnecessary maintenance and maintenance at unsupported stations. The ARIS/AR Display Board product displays all pending maintenance items for each aircraft. You can assign each maintenance item to be performed at a specific station on a specific day. The product warns you if the maintenance cannot be performed at the station because, for example, the station does not support the maintenance type.

**Automatic flight-leg assignment.** The ARIS/AR Display Board product can allocate aircraft to flights automatically on a daily basis using optimized tracks created by the ARIS/AR Turn Generator product. You can select how many days forward the allocation should cover, and the product automatically assigns flight legs to aircraft for the specified period.

**Aircraft reassignment and swap recommendations.** During irregular operations, you may need to adjust aircraft flight-leg assignments. Making substitutions without affecting maintenance activities can be difficult. The ARIS/AR Display Board product searches the fleet and makes swap recommendations in seconds, saving precious time during irregular operations. It resolves the difficult problem of routing a specific aircraft to a station by a given time and leaving it there for a specified number of hours by presenting solutions as sets of possible swaps with clear indications about the effects on maintenance activities.

**Substitute aircraft identification.** To locate substitute aircraft, the ARIS/AR Display Board product searches through the fleet and identifies all other aircraft in the same city at the same time, taking alerts and maintenance items into account.

**Identification of flight reassignments to different aircraft types.** The ARIS/AR Display Board product identifies flights assigned to aircraft types different from those previously scheduled. Fleet managers can see when an assignment requires additional staffing to accommodate passengers or cargo on a different aircraft type. The product recognizes when flight legs have been assigned to different aircraft and signals the condition graphically, reducing the number of broken flights.

**Automatic flight assignment.** The ARIS/AR Display Board product automatically assigns all flights well ahead of departure times; you can add new flights and de-assign flights. It tracks new and unassigned flights automatically, reducing the risk of reaching departure time without assigned aircraft.

**Web-enabled for cost-effective rapid and wide deployment.** You gain access to the ARIS/AR aircraft-routing system through Ascent's From Touchdown to Takeoff® cloud-hosted service, a secure, highly-available, and readily-expandable platform. When you subscribe to the service, you can gain access Ascent's entire suite of products, including the ARIS/AR aircraft-routing system, using a standard browser directly from your network without any need to install, maintain, and support on-premise hardware and software. We can readily adjust available computing power to meet your organization's changing needs, and you can easily expand your solution to accommodate additional users and to manage additional resources, facilities, and locations.

## Ways we can help you

**Advisory and consulting services.** We provide unbiased advice about resource allocation, optimization, planning, scheduling, management, and deployment methodologies; develop cost-benefit analyses; analyze business processes; manage projects; gather and document technical requirements; develop functional specifications; and specify hardware, software, and devices.

---

### More information

To learn more about how Ascent Technology solutions can help you optimize your resources to greatest advantage and to schedule a demonstration of our products, send email to [sales@ascent.com](mailto:sales@ascent.com) or call our Sales and Marketing department at +1.617.395.4800.

---

**Project-management services.** Our project-management team works closely with you, following our time-proven delivery methodology, and uses face-to-face meetings, teleconferences, web conferences, and email exchanges to keep you informed every step of the way. We believe careful project management is the key to successful on-time and on-budget deliveries of Ascent Technology's SmartAirline Operations Center™ solution and SmartAirport Operations Center™ solution.

**Knowledge-engineering services.** Knowledge engineering is the process of identifying your business knowledge—the business rules, policies, procedures, preferences, and requirements that guide the way your organization operates—and then codifying your business knowledge in the knowledge base at the heart of SmartAirline Operations Center solution and SmartAirport Operations Center solution. The business knowledge in the knowledge base determines how the solutions behave. Our knowledge engineers work with you to gather and enter the business knowledge that enables the solution to behave exactly the way you want it to.

**Implementation, integration, and installation services.** Our implementation team provides system integration and testing services; develops product extensions, enhancements, and connectivity software for importing data to and exporting data from external systems; and creates reports. Our implementation team is also responsible for setting up an environment, customized to meet your organization's needs, and monitoring its performance, in our secure hosting center.

**Training services.** We provide a wide range of user, administrator, trainer, and refresher training classes at your location, at our Boston, MA, headquarters, and remotely over the web. We also provide operational training services remotely when you begin to use the SmartAirline Operations Center solution or the SmartAirport Operations Center solution in production.

**Maintenance and support services.** We offer premium support services for the SmartAirline Operations Center solution and the SmartAirport Operations Center solution around the clock. We provide comprehensive remote user support services via telephone, email, web conferences, and Internet, as well as software maintenance, such as product updates, patches, and releases. Our customer support community portal and ticket system enable you to ask questions and receive responses, request service, report problems, and track issues day and night.

## Ascent Technology's From Touchdown to Takeoff Cloud-Hosted Service

You gain access to the Ascent Resource Information System solutions in the SmartAirline Operations Center solution and in the SmartAirport Operations Center solution over the Internet, using a standard web browser.

<b>Ascent Resource Information System solutions</b> <b>SmartAirline Operations Center solution</b> <b>SmartAirport Operations Center solution</b>	<b>From Touchdown to Takeoff cloud-hosted service</b>  Browser support: Google Chrome, Microsoft Edge, and Mozilla Firefox  Minimum Internet connection speed: 5 Mbps Minimum resolution: Full HD (FHD)
ARIS/AV® aerial-view display	✓
ARIS/BB® baggage-belt allocator	✓
ARIS/BIS™ billing-information system	✓
ARIS/CA® capacity analyzer	✓
ARIS/CI® check-in counter allocator (with ARIS/IQ® queue manager)	✓
ARIS/FW® flight watcher	✓
ARIS/GateView® real-time display	✓
ARIS/GM® gate manager	✓
ARIS/Reports™ data analyzer	✓
ARIS/SB® schedule builder (with ARIS/LegGen® flight-leg generator)	✓
ARIS/SL® schedule loader	✓
ARIS/SmartBase® database (with Resource Editor tools)	✓
ARIS/SmartBus® communication middleware	✓
ARIS/SP® stand planner	✓
Ascent WorkZone® workforce manager	✓
ARIS/WorkModel® workload generator	✓
ARIS/WorkNet® bid and trade manager	✓ *
ARIS/WorkOptimize® work-period generator	✓
ARIS/WorkPlan® work-schedule generator	✓
ARIS/WorkRelay® task and attendance monitor	✓
ARIS/WorkTime® workday manager	✓
Right-Now View® operations dashboard	✓
ARIS/CX® crew-connection analyzer	✓
ARIS/FR® flight-readiness display	✓
ARIS/PX® passenger-connection analyzer	✓
ARIS/TE® tug-equipment assigner	✓
Gate Chart Display™ tool	✓
Stand Assignment Optimizer™ tool	✓

ARIS, ARIS/AR, ARIS/AV, ARIS/BB, ARIS/CA, ARIS/CI, ARIS/CX, ARIS/FR, ARIS/FW, ARIS/GateView, ARIS/GM, ARIS/IQ, ARIS/LegGen, ARIS/PA, ARIS/PX, ARIS/SA, ARIS/SB, ARIS/SE, ARIS/SL, ARIS/SmartBase, ARIS/SmartBus, ARIS/SP, ARIS/TE, ARIS/Tow Panel, ARIS/WorkModel, ARIS/WorkNet, ARIS/WorkOptimize, ARIS/WorkPlan, ARIS/WorkRelay, ARIS/WorkTime, Ascent Resource Information System, Ascent Technology, Inc. (stylized), Ascent WorkZone, Ascent WorkZone (stylized), From Touchdown to Takeoff, GateKeeper, Right-Now View, SmartAirline, SmartAirline Capacity Analyzer (stylized), SmartAirline Information Manager (stylized), SmartAirline Operations Manager (stylized), SmartAirline WorkZone, SmartAirline WorkZone (stylized), SmartAirport, Smartairport.com, SmartAirport Capacity Analyzer, SmartAirport Capacity Analyzer(stylized), SmartAirport Information Manager, SmartAirport Information Manager(stylized), SmartAirport Operations, SmartAirport Operations Center, SmartAirport Operations Manager, SmartAirport Operations Manager (stylized), SmartAirport WorkZone, and SmartAirport WorkZone (stylized) are registered trademarks of Ascent Technology, Inc., in the United States.

Active Schedules, Advanced Pay Rule System, ARIS/AR Display Board, ARIS/AR Turn Generator, ARIS/BB Audit, ARIS/BIS, ARIS/BX, ARIS/DS, ARIS/Reports, ARIS/SCR, Ascent WebConnect, Change History, Extended Flight View Dashboard, Flight Data Dashboard, Flight Filter Manager, Gate Chart Display, Location Editor, Planning Control, Planning Schedules, Profile Editor, Query Editor, Reference Editor, Resource Editors, Rule Editor, SmartAirline Capacity Analyzer, SmartAirline Information Manager, SmartAirline Operations, SmartAirline Operations Center, SmartAirline Operations Manager, Stand Assignment Optimizer, Template Worker Editor, Tow-Data Web Service, Update Control, User Editor, Work Schedule Manager, and Worker Editor are trademarks of Ascent Technology, Inc., in the United States.

This is not a complete list of all registered trademarks, trademarks, and service marks owned by Ascent Technology, Inc. See [www.ascent.com/trademarks.html](http://www.ascent.com/trademarks.html) for information. Other company, product, and service names may be registered trademarks, trademarks, or service marks owned by other parties.

Ascent Technology Software is the Confidential Information of Ascent Technology, Inc., and is available only under the terms of a license or grant of rights provided by Ascent Technology, Inc. Ascent Technology Software may be covered by one or more U.S. patents and/or pending patent applications. See [www.ascent.com/patents.html](http://www.ascent.com/patents.html) for information. Ascent Technology, Inc., solutions may use software components developed by open-source projects. For information, send email to [legal@ascent.com](mailto:legal@ascent.com). Revised 12/2023